


PRODUCT DATASHEET

A60 LED Linear Light

Asymmetric Distribution



PRODUCT FEATURES





- Asymmetrically optical design
- High CRI >90
- Easy plugin connection
- Small dimension

PRODUCT BENEFITS

- Clear working face for eyes friendly
- Better cost performance ratio with high reliability
- Comfortable light with low glare

AREAS OF APPLICATION


- Under cabinet
- Shelf for store/ kitchen
- Wall washer






TECHNICAL DATA

Product description	Electrical data		Photometrical data		Dimensions & weight				Colors & materials	
	Nominal wattage	Input voltage	Color temperature	Luminous flux	Length	Width	Height	Product weight	Body material	Product color
A60-1L-30K	4.3 W	DC 24 V	3000 K	305 lm	293.0 mm	18.0 mm	18.0 mm	39.0 g	PC + GF	White
A60-2L-30K	8.6 W	DC 24 V	3000 K	600 lm	578.0 mm	18.0 mm	18.0 mm	75.0 g	PC + GF	White
A60-1L-40K	4.3 W	DC 24 V	4000 K	325 lm	293.0 mm	18.0 mm	18.0 mm	39.0 g	PC + GF	White
A60-2L-40K	8.6 W	DC 24 V	4000 K	625 lm	578.0 mm	18.0 mm	18.0 mm	75.0 g	PC + GF	White
A60-1L-57K	4.3 W	DC 24 V	5700 K	340 lm	293.0 mm	18.0 mm	18.0 mm	39.0 g	PC + GF	White
A60-2L-57K	8.6 W	DC 24 V	5700 K	660 lm	578.0 mm	18.0 mm	18.0 mm	75.0 g	PC + GF	White
A60-1L-3057K	4.3 W	DC 24 V	3000 + 5700 K	325 lm	293.0 mm	18.0 mm	18.0 mm	39.0 g	PC + GF	White
A60-2L-3057K	8.6 W	DC 24 V	3000 + 5700 K	630 lm	578.0 mm	18.0 mm	18.0 mm	75.0 g	PC + GF	White
A60-1L-2765K	4.3 W	DC 24 V	2700 + 6500 K	300 lm	293.0 mm	18.0 mm	18.0 mm	39.0 g	PC + GF	White



PHOTOMETRIC CURVE



LIGHT DISTRIBUTION



PRODUCT DESCRIPTION



	L total (mm)	L light (mm)	Package (L x W x H mm)
A60-1L	293	278.5	310 x 25 x 25
A60-2L	578	563.5	600 x 25 x 25

EQUIPMENT / ACCESSORIES

- Complete mounting accessories included

LOGISTICAL DATA

Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
A60-1L	100 Pieces/Unit	320 mm x 260 mm x 260 mm	21.63 dm ³	7200 g
A60-2L	100 Pieces/Unit	610 mm x 260 mm x 260 mm	41.24 dm ³	10800 g

Why LIDlight?


LIDlight is expert of lighting and mechatronics design, we liberate the light to creat wonderful life and impress the world. We innovate effective and efficient design to help our clients getting success.



Lighting expert



Mechatronics expert



Innovation



Client Success